





Product Catalog

History & General Information

Davison Oil



W.H. Davison, the father of the current president & CEO, founded Davison Oil Company, Inc. in 1950. The firm has grown to include two plants, the first and still today the main office, is a ten acre facility in Mobile, Alabama; the second plant is in El Dorado, Arkansas which is the principal blending, filling and packaging facility and the birthplace of "Pride" our private label product line. Davison Oil Company, Inc. is a recognized leader in the petroleum industry offering numerous national brands, private label Major Brand Anti-Freeze and Pride Lubricant Products as well as contract blending and packaging of private label petroleum lines. Current distribution encompasses 26 states domestically to a customer base including grocers (wholesale and retail), auto parts stores and chains, lube distributors, hardware stores and chains, discounts stores, vehicle sales and service facilities, retail establishments and foreign exports. The management and staff of Davison Oil Company, Inc. are committed to being a low overhead full service company providing quality products at competitive prices and providing professional value added sales and service support to the customers they have the privilege of serving. Over fifty years ago the firm's founder adopted a simple and timeless slogan that we still apply today: "We Appreciate Your Business". These words are still representative of our philosophy and we express our appreciation daily by meeting or exceeding our customer's expectations.





Product Guide Contents

Our private label products are highlighted in green.

Antifreeze Major Brand Major Brand Gold Major Brand (DexCool)	12 12 12	Motorcraft Pennzoil Phillips 66 Royal Purple	18 17 14 16	Industrial Oils Pride Chevron Phillips 66	8 15 14
Chevron	15	Shell Valvoline	17 17	Shell	17
Automotive Chemicals		-		Lighter Fluid	
Major Brand	12, 13	Equipment		Charcoal Starter Fluid	28
Armor All	22	Pails & Lids New Drums	26 26		
Bar's Leak	23	Zeeline - Lube Equip.	26	Oil Dry	
Brake Fluid	24 15	Bulk Storage Tanks	(Call)	Oil Dry	13, 26
Chevron Techron J-B Weld	15 23	Gas/Diesel Cans	28	Oil Dry Pads	26
K-1 Kerosene	26	Scott Shop Rags	28	0.1.110.0.1	
Lucas Oil Products	20	Scott Shop Towels	28	Outboard / 2-Cycle	
Mineral Spirits	26	Tape-Masking	28	Castrol	25
PB B'Laster	22	Tape-Electrical	28	Chevron	25
Power Service	24	Tape-Duct	28	Mercury Phillips 66	25 14, 25
Quic-Shine	23	Freon		Royal Purple	14, 25
STP Super V	20 21	134-A	19	Stay Mix	25
Super-X WD-40	22	Castrol	19	,	
Windshield Wash	13, 24	Freeze 12	19	Power Steering Brake	Fluid
TTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTT	10, 21			Pride	6
Aviation		Gear Oil		Castrol	24
Phillips 66	14	Pride	10	STC	24
Shell	17	Chevron	15	Super-X	21
		Phillips 66	14	Transmission Fluids	
Bar & Chain		Royal Purple	17		E
Pride	7			Pride Castrol	5 16
		Grease		Motorcraft	18
Cleaner Degreaser		Pride	11, 25	Pennzoil	17
GOJO	27	Chevron	15	Phillips 66	14
Purple Power	27	Mystik	25	Royal Purple	16
Aluminum Bright	(Call)	Shell	14	Shell	17
		Super-X	21, 25	Valvoline	17
Engine Oils					
Pride	2-4	Hydraulic Oils			
Castrol	16	Pride	8-9		
Chevron	15	Chevron	15		
Havoline	18	Phillips 66	14		
Kendall Mobil 1	18 18	Shell	17		
WOON I	10				



All Package Sizes Available, Most Popular Items Shown Below

Pride Passenger Car Motor Oils are formulated to provide engine protection under severe operating conditions. They are blended from select and highly refined base oils compounded to provide protection against wear and corrosion, prevent oxidative thickening and inhibit promotion of engine acids, sludge, and varnish deposits. The multi-grades may be used over a wide temperature range,



permitting easier cold weather starting and helps minimize engine friction at start-up. Pride Multi-Grade Oils are recommended for gasoline engines found in passenger cars, light trucks, power boats, motorcycles, and other mobile and stationary equipment including those equipped with supercharges or turbo chargers. By grade, each product will meet the current API License Service Category.

PRIDE ALL WEATHER OIL

DESCRIPTION	QUANTITY	PART #
Pride 5w30	12 quarts / case	17 12
Pride 5w30	55 gallon drum	1750
Pride 5w30	Bulk	1701
Pride 10w30	12 quarts / case	1200
Pride 10w30	5 gallon pail	1205
Pride 10w30	55 gal drum	1150
Pride 10w30	Bulk	1201
Pride 10w40	12 quarts / case	1400
Pride 10w40	55 gallon drum	1350
Pride 20w50	12 quarts / case	1100
Pride 20w50	55 gallon drum	1155
Pride 20w50	Bulk	1101



















PRIDE HIGH DETERGENT SAE GRADES 30w & 40w

DESCRIPTION	QUANTITY	PART #
Pride HD 30w	12 quarts / case	1500

Pride Single Grade High Detergent Motor Oils are formulated to provide engine protection under severe operating conditions. Made from select and highly refined base oils compounded to provide protection against wear and corrosion, prevents oxidative thickening, engine acids, sludge and varnish deposits. Pride High Detergent Oils are recommended for gasoline and diesel powered engines where a single grade product is required. In all cases, the manufacturers' lubricant recommendations for API performance category and SAE viscosity grade should be followed. By grade, each product will meet the current API License Service Category.

PRIDE NON-DETERGENT SAE GRADES 30w & 40w

DESCRIPTION	QUANTITY	PART #
Pride ND 30w	12 quarts / case	1900
Pride ND 30w	5 gallon pail	1810
Pride ND 30w	55 gallon drum	1850
Pride ND 40w	12 quarts / case	2000
Pride ND 40w	55 gallon drum	1950

These oils are for the API non-current service level SA. These are economy motor oils and should only be used in applications specifically requiring this product. As always, consult the equipment manual to determine the appropriate lubricant for any application.





Exceptional Premium Value



PRIDE FLEET HEAVY DUTY SAE 15w40

			_
		SAIDE FLEET 19840	
			Pi
		2950 55 GAL	Pi
	TERIDE PRICE PRICE	4	Pi
	94.15VA 304 404	-	Pı
1	TO A BROWN HARMON BOTHERS		
X	3000 ENITE		
	FREMUM-FILET SAE 15W-40	SAE 15W-40	ā 1
	JA MILLE OF SECTION	SAL DELLO	
No.	D) CHIT HERE SITUES	121 BURN PLATIC SSTREE	Engineered with
	1500	3000 ERILE	PRILIPARIUM FLEEL CAF 15W-40
1	30-W	PREMIUM-HEET	SAE ISW

All	package	sizes	available,	most	popular	items	shown	here
-----	---------	-------	------------	------	---------	-------	-------	------

DESCRIPTION	QUANTITY	PART #
Pride Fleet 15w40 CJ-4	12 quarts / case	3000
Pride Fleet 15w40 CJ-4	5 gallon pail	2910
Pride Fleet 15w40 CJ-4	55 gallon drum	2950
Pride Fleet 15w40 CJ-4	Bulk	2901

A premium-quality, multigrade crank-case oil for all-season use in commercial mixed-fleet engine operations. This product is manufactured from select premium quality base stocks and formulated with the most current V.I. polymer and additive technology to meet performance requirements in all naturally aspirated, turbocharged and supercharged diesel engines as well as all four-cycle gasoline engines. Recommended for service under

all operating conditions where the engine manufacturer specifies this weight multi-grade oil, including newer diesel engines with EGR systems. (By grade, each product will meet the current API License Service Category and requirements as they evolve for heavy duty commercial engines by the major manufacturers.)

PRIDE FLEET HEAVY DUTY SAE 30w & 40w

DESCRIPTION	QUANTITY	PART #
Pride Fleet HD 30w	12 quarts / case	1500
Pride Fleet HD 30w	5 gallon pail	2610
Pride Fleet HD 30w	55 gallon drum	2650
Pride Fleet HD 30w	Bulk	2601
Pride Fleet HD 40w	5 gallon pail	2710
Pride Fleet HD 40w	55 gallon drum	2750
Pride Fleet HD 40w	Bulk	2701

Heavy Duty SAE Single-Grade crankcase oils are formulated for all diesel, turbo diesel and gasoline engines. These oils are blended from select and highly refined base stocks. They are compounded with detergents, dispersants, wear control elements, anti-oxidants, corrosion inhibitors and a foam suppressant







All package sizes available, most popular items shown here

additive. 10w is API Classified as SH oils. SAE grades 30 and 40 meet current API Service Classifications CF, CF-2/SH including API Classifications CD, CD-II, CE. These products meet the performance requirements of MIL-L-2104F (SAE 10w, 30, 40), MIL-L-46152D and conform to all major automobile manufacturers' and automotive/truck diesel engine builder's requirements, including Caterpillar, Cummins, Detroit Diesel-Allison, and Mack Truck. SAE 10w through SAE 30 meet the Allison Type C-3, C-4 transmission performance requirements recommended for hydraulic systems.





PRIDE MULTI-PURPOSE ATF DEXRON III / MERCON

DESCRIPTION	QUANTITY	PART #
Pride Dexron III / Mercon	12 quarts / case	2500
Pride Dexron III / Mercon	5 gallon pail	2410
Pride Dexron III / Mercon	55 gallon drum	2450
Pride Dexron III / Mercon	Bulk	2401

Manufactured from select, highly refined base stocks and compounded with additives to enhance oxidation stability and thermal resistance, improve low temperature operation, impart specified friction control, improve load-carrying ability, and resist corrosion and foaming tendencies. This product is multipurpose automatic transmission

Exceptional Premium Value





All package sizes available, most popular items shown here

lubrication fluid recommended for O.E.M. performance requirements contained under DEXRON II, DEXRON II-E, DEXRON III, MERCON, and Ford ESP-M2C138-CJ service levels. Meets Ford ESP-M2C166-H or Type A.



PRIDE Type A TRANSMISSION FLUID

DESCRIPTION	QUANTITY	PART #
Pride Type A ATF	12 quarts / case	2405

This fluid should be used only in those applications specifying Type A Transmission Fluid. In the blending of this product a red dye is included resulting in a product with a distinct red color which can aid in the determining the origin of a leak in the system where it is used. As always, consult your owner's manual before using this or any product to determine that it meets the specifications required.



DESCRIPTION	QUANTITY	PART #
Pride Type F ATF	12 quarts / case	2600



ATF (Automatic Transmission Fluid) Type F is a premium lubricating fluid meeting the Ford Specification M2C33-F. Recommended for all automatic transmissions requiring Type F fluid.







All Package Sizes Available, Most Popular Items Shown Below

PRIDE POWER STEERING FLUID

DESCRIPTION	QUANTITY	PART #
Pride Power Steering	12 quarts / case	9250
Pride Power Steering	12/12oz case	9240

Pride Power Steering Fluid is formulated from highly refined naphthenic oil to perform in power steering systems. The product is designed to protect power steering systems against pump deterioration by preventing abnormal oxidation, foaming and wear.



PRIDE BRAKE FLUID

DESCRIPTION	QUANTITY	PART #
Pride Brake Fluid	Gallon	8925
Pride Brake Fluid	12-12 ounces / case	8990
Pride Brake Fluid	12 quarts / case	8950
Pride Brake Fluid	4 gallon / case	8925
Pride Brake Fluid	5 gallon pail	8905

Pride Brake Fluid is recommended for all types of hydraulic brake systems including drum, disc and ABS that require a DOT 3 specification fluid. This product aids in the protection of metal and rubber components against wear and corrosion. It can be mixed with existing DOT 3 fluids.











LOGGER'S PRIDE BAR & CHAIN OIL

DESCRIPTION	QUANTITY	PART #
Pride Logger's Pride	6 gallons / case	7100
Pride Logger's Pride	55 gallon drum	7120

Logger's Pride Chain Oil is a naphthenic base oil that has been hydro-treated for improved stability. A tack additive has been blended in to reduce sling-off.



The History of Logger's Pride Bar and Chain Oil

The history of Chain Oil began in the 1960's when Gurley Oil Company (West Memphis) introduced a 24/1 quart case of re-refined oil without a tack additive selling wholesale for \$6.00 per case.

In the mid 1960's Hunter Oil in Florida introduced STA-ON in 6/1 gallon cases. STA-ON was a virgin oil with a tackifier additive sold exclusively to chain saw shops at a wholesale price of \$14.00 a case.

In the mid 1970's C-Mac in Tennessee duplicated the STA-ON Formula and sold to both chain saw dealers and oil distributors.

In 1977 Davison Oil Company began buying from C-Mac and later in the same year introduced the private label Sav-A-Chain which was the C-Mac product packaged for Davison Oil Company.

In the early 1980's Jim Yeager, one of the few original C-Mac employees left, resigned to go into business for himself. Jim, with product knowledge and a relationship with Davison Oil Company, blended, packaged and sold Davison the indentical formula.

Later in the 1980's C-Mac was sold and Davison's relationship with Yeager Oil grew leading to the 1985 merger of the two firms. The new firm, with years of knowledge and experience in chain oil, introduced Logger's Pride Bar and Chain in 6/1 gallons.

Logger's Pride unique formula is the "Rolls Royce" of the industry. The knowledge gained over the years and a formula different from any in the industry has made Logger's Pride one of the most asked for products of its kind. Its unique formula gives added life to both bar and chain; once experienced, the difference can and will be appreciated.





PRIDE ANTI-WEAR MVI Hydraulic Oils



DESCRIPTION	QUANTITY	PART #
Pride AW 32 MVI	5 gallon pail	0320
Pride AW 32 MVI	55 gallon drum	0330
Pride AW 46 MVI	5 gallon pail	0460
Pride AW 46 MVI	55 gallon drum	0470
Pride AW 68 MVI	5 gallon pail	0680
Pride AW 68 MVI	55 gallon drum	0690

Pride AW MVI Hydraulic Oils are naphthenic base blended with inhibitors that provide excellent oxidation stability, rust protection and demulsibility. This product, commonly chosen for circulation systems, provides protection for piston, gear and vane pumps. The low aniline points of these quality oils help to reduce loss due to seal leaks. It is recommended where anti-wear additives are required or desired.

PRIDE ANTI-WEAR HVI Hydraulic Oils ISO



l l	
Pride AW 32 HVI 5 gallon pail 3510)
Pride AW 32 HVI 55 gallon drum 3255	5
Pride AW 32 HVI Bulk 3201	
Pride AW 46 HVI 5 gallon pail 3310)
Pride AW 46 HVI 55 gallon drum 3350)
Pride AW 46 HVI Bulk 3301	
Pride AW 68 HVI 5 gallon pail 3410)
Pride AW 68 HVI 55 gallon drum 3450)
Pride AW 68 HVI Bulk 3401	

Pride A/W HVI Hydraulic Oils are premium-quality, anti-wear hydraulic oils with excellent stability characteristics, designed to meet the most stringent requirements of manufacturers and users of hydraulic equipment. These products are characterized by providing rust protection, low deposit formation, rapid release of entrained air, oxidation resistance, low pour points, and good anti-foam properties. They contain an effective anti-wear agent that helps reduce wear in high-speed, high-pressure vane and gear pumps. Recommended where operating pressures may exceed 3000 psi. These hydraulic oils meet performance requirements of Dension HF-0, Vickers M-2950-S, and Cincinnati Milacron P-68, P-69 and P-70.







PRIDE TRACTOR HYDRAULIC FLUID WITH BPE**

DESCRIPTION	QUANTITY	PART #
Pride Tractor Hydraulic	6 gallon / case	6770
Pride Tractor Hydraulic	5 gallon pail	6750
Pride Tractor Hydraulic	55 gallon drum	6760
Pride Tractor Hydraulic	Bulk	6701

A high quality lubricant designed to meet a wide range of applications as specified by numerous equipment manufacturers. This specially lubricant is formulated with a comprehensive additive package and anti-rust, anti-foam and oxidation inhibitors.




The product is an all season oil that resists thickening in cold weather and thinning in heat. It is compounded with detergents to keep transmissions clean and maintain hydraulic control circuits in perfect working condition while providing excellent protection against seal and pump deterioration. Operators appreciate the multi-purpose application of this premium fluid for transmissions, final drives and hydraulic systems thereby eliminating the requirement to stock multiple products. Pride Premuim Tractor Hydraulic Fluid is formulated to current specifications meeting the requirements as a replacement fluid for most major farm and agricultural equipment manufacturers.

**BPE (Borate-Phosphate/Esther) Ashless Additive to improve load-carrying, wear protection, thermal and oxidation stability.

PRIDE R & O Hydraulic Fluid

DESCRIPTION	QUANTITY	PART #
Pride R&O Hydraulic Fluid	6 gallon / case	7020
Pride R&O Hydraulic Fluid	5 gallon pail	6950
Pride R&O Hydraulic Fluid	55 gallon drum	7010

A naphthenic base hydraulic fluid blended with Rust and Oxidation inhibitors designed for applications where antiwear inhibitors are not required. As always, refer to equipment manufacturer's manual for specific fluid requirements.



PRIDE PB-2000 TRACTOR Hydraulic Fluid

DESCRIPTION	QUANTITY	PART #
Pride PB-2000	6 gallon / case	6860
Pride PB-2000	5 gallon pail	6850
Pride PB-2000	55 gallon drum	6810

PB-2000 has been field tested and proven to perform in an 'add to" or "top off" application for a variety of equipment types. This product is blended with refined base stocks, anti-wear additives plus rust and oxidation inhibitors. This product is dyed red in the blending process which aids in leak protection and identification.

In service applications where system drain and refill is required, the recommended product is Pride Premium Tractor Hydraulic Fluid part number 6750.





All Package Sizes Available, Most Popular Items Shown Below



PRIDE GL-1 GEAR LUBE

DESCRIPTION	QUANTITY	PART #
Pride GL-1 90w	6 gallon / case	4930
Pride GL-1 90w	35 lb. pail	4900
Pride GL-1 90w	400 lb. drum	4910
Pride GL-1 140w	6 gallon / case	5430
Pride GL-1 140w	35 lb. pail	5400
Pride GL-1 140w	400 lb. drum	5410

An uninhibited gear lubricant designed for API Service Classification: GL-1. These gear oils are blended from highly refined base stocks that resist oxidation and thickening. Recommended for manual transmissions in cars, trucks and other equipment where API Service Level GL-1 Lubricant is specified.

PRIDE GL-5 GEAR LUBE

DESCRIPTION	QUANTITY	PART #
Pride GL-5 80w85w90	12 quarts / case	6030
Pride GL-5 80w85w90	35 lb. pail	6000
Pride GL-5 80w85w90	120 lb keg	6020
Pride GL-5 80w85w90	400 lb. drum	6010
Pride GL-5 80w85w90	Bulk	6001
Pride GI-5 85w140	12 quarts / case	6230
Pride GL-5 85w140	35 lb. pail	6200
Pride GL-5 85w140	120 lb keg	6220
Pride GL-5 85w140	400 lb. drum	6210
Pride GL-5 85w140	Bulk	6201



A multi-purpose sulfur/phosphorus type gear lubricant designed for API Service Classifications GL-5 and MT-1. Compounded with highly refined paraffinic base stocks and additives to ensure extreme pressure characteristics, anti-wear performance, anti-corrosion, rust prevention, anti-foaming and service fill limited slip capability. Recommended for differentials, rear axles, final drives, conventional manual transmissions, manual steering gears, and limited slip top off suitability, in passenger cars and trucks where GL-5 type lubricant is specified. GL-5 Lubes are also commonly specified for heavy duty equipment, both on and off-highway fleets, as well as many industrial and commercial mechanical systems applications.









Pride Purple is a premium Calcium Sulfonate Complex High Temperature Grease NLGI #2. It has superior performance characteristics over a wide operating temperature range, under extreme pressure conditions and is fortified with additives to protect against rust, oxidation and wear. It's excellent resistance to water makes it especially suited for boat trailer wheel bearings and others applications where immersion in water is experienced. This product is suitable for industrial, farming and automotive applications and all

PRIDE PURPLE GREASE

DESCRIPTION	QUANTITY	PART #
Pride Purple Grease	10 14oz. tubes/case	7710
Pride Purple Grease	50 14oz. tubes/case	7750
Pride Purple Grease	35 lb pail	7705
Pride Purple Grease	120 lb keg	7716
Pride Purple Grease	400lb drum	7755

disc brake wheel bearing applications including those where disc braking creates extremely high temperatures. This grease is a rich purple color and has a smooth texture. This product meets NLGi Service Classification GC-LB

Pride Red Lithium EP Grease #2 is a premium multi purpose extreme pressure Lithium 12-Hydroxy Stearate thickened grease possessing excellent thermal and shear stability and excellent water resistance. It is made from a high viscosity base oil making it an excellent choice for heavy loaded applications. Pride Red Grease is fully treated with anti-rust, extreme pressure, anti-wear additives, and oxidation inhibitors. Recommended for automobiles, trucks, buses, farm tractors and heavy duty construction equipment as well as many industrial applications where heavy loads exist and speeds are slow to moderate. It is insoluble and washout

PRIDE RED GREASE

DESCRIPTION	QUANTITY	PART #
Pride Red Grease	10 14oz. tubes/case	7610
Pride Red Grease	50 14oz. tubes/case	7650
Pride Red Grease	35 lb. pail	7605
Pride Red Grease	120 lb keg	7616
Pride Red Grease	400 lb drum	7655

resistant. This product meets NLGI Service Classification LB for chassis greases and GB for wheel bearing greases as outlined in ASTM D 4950. This grease has a tacky texture and is a rich red translucent color.

Pride Blue Multipurpose Grease #2 is a premium lithium grease designed for both automotive and industrial applications. It is formulated from fully refined quality lube stocks, high quality lithium soap, and additional additives to further enhance its lubricating effectiveness.

Pride Blue Grease has excellent temperature stability, will not melt at automotive service temperatures and is readily handled through normal dispensing equipment. This product is recommended for grease lubrication of water pumps, universal

PRIDE BLUE GREASE

DESCRIPTION	QUANTITY	PART #
Pride Blue Grease	10 14oz. tubes/case	7510
Pride Blue Grease	50 14oz. tubes/case	7550
Pride Blue Grease	35 lb pail	7505
Pride Blue Grease	120 lb keg	7516

joints and regularly lubricated chassis points on cars, trucks, buses, tractors and mobile equipment as well as various industrial applications. This grease has a smooth short fiber texture and is a bright blue opaque color. If your application requires an Extreme Pressure (EP) rated grease or a high temperature rating such as disc brake wheel bearings then use Pride Red EP Grease or Pride Purple Grease.











MAJOR BRAND ANTI FREEZE

DESCRIPTION Major Brand Anti-Freeze Major Brand Anti-Freeze Major Brand ELC DEXCOOL Major Brand ELC DEXCOOL Pride Fleet Charge 50/50

QUANTITY
6 gallon / case
55 gallon drum
6 gallon / case
55 gallon drum
55 gallon drum

Major Brand Extended Life Coolant Anti-Freeze is compatible with Dexcool products commonly found in factory fills on late model vehicles of the past ten years. It is a long life product providing for longer change intervals and is ideal for use in applications specifying a Dexcool compatible fluid. The color of this product is orange.

Major Brand Anti-Freeze and Coolant is one of the advanced formula products designed for use in engines from the smallest passenger car through light duty trucks and sport utility vehicles. A unique combination of organic acids and salts plus a special stabilization of the low silicate content (less than 0.1%) makes this Non-Phosphate formulation possible. This true all metal formula provides for optimal operation in severe cold weather as well as the extreme heat of summer. The color of this product is a medium green.

The 50 / 50 Fleet Charge is intended to provide the performance requirements for 50/50 blended ethylene glycol, low silicate, engine anti freeze/coolant concentrate and water for use in initial fill of liquid cooled diesel engines. It is premixed 50%/50% with deionized water and packaged in 55 gallon drums. The color of this product is green.



MAJOR BRAND GOLD ANTI FREEZE

DESCRIPTION

Major Brand Gold AF Major Brand Gold AF

QUANTITY

6 gallon / case 55 gallon drum

Major Brand Gold Anti-Freeze is a Passenger Car / Light Truck universal formula that mixes with any current product in any make vehicle. It is long life full strength formula and is a medium gold color. This is an ideal solution allowing the stocking of one product for a variety of applications.

Did you know?

Traditional antifreeze is green, Dexcool compatible products are orange and commercial extended life products are red. Gold Antifreeze is compatible with all passenger car and light truck formulas in use today





MAJOR BRAND WINDSHIELD WASHER FLUID

DESCRIPTION	QUANTITY	PART #
Washer Fluid - Summer	6-gallon / case	9612
Washer Fluid - Winter	6-gallon / case	9912

Major Brand Windshield Wash is produced in two different formulations, a Summer Blend which serves as an effective wash product only and a Winter Blend which, as well as an effective washing agent, provides freeze protection to the wash system of a vehicle down to zero degrees Fahrenheit.





MAJOR BRAND OIL DRY

DESCRIPTIONQUANTITYMajor Brand Oil Dry40 lb

A Premium Absorbent in granular form suitable for all kinds of liquids including oils, transmission fluids, brake fluids, coolants and greases. Ideal for workshops, garages, industrial applications including deployment at the base of machines to catch non-aggressive fluid leaks and prevent spills from spreading. Also works well as an unscented kitty litter.

ENGINE OILS

DESCRIPTION

Phillips Tropartic Syn Blend 5w30 Phillips Tropartic Syn Blend 5w30 Phillips Tropartic Syn Blend 5w30 Phillips Tropartic Syn Blend 10w30 Phillips Tropartic Syn Blend 10w30 Phillips Tropartic Syn Blend 10w30 Phillips Tropartic 10w40 Phillips Tropartic 20w50 Phillips Super HD II 10 Phillips Super HD II 10 Phillips Super HD II 15w40 Phillips Guardol 15w40 Phillips Fleet EC 15w40 Phillips Fleet EC 15w40 Phillips Fleet EC 15w40 Phillips Super HD II 30 Phillips Super HD II 30 Phillips Super HD II 30 Phillips Super HD II 40 Phillips Super HD II 40 Phillips Super HD II 40 Phillips Super HD II 40

QUANTITY

12 quarts / case 55 gallon drum Bulk

12 quarts / case 55 gallon drum Bulk

Bulk
12 quarts / case
12 quarts / case
5 gallon pail
55 gallon drum
12 quarts / case
6 gallons / case
5 gallon pail
55 gallon drum
Bulk

6 gallons / case 55 gallon drum 12 quarts / case

12 quarts / case

6 gallons / case 5 gallon pail 55 gallon drum









FLUIDS

DESCRIPTION

Phillips Family Super ATF Phillips Family Super ATF Phillips Family Super ATF Phillips Family Super ATF Conoco Mercon V Phillips 66 Dexron VI Phillips Torque Fluid 10 Phillips Torque Fluid 30 Conoco Power Drive 50

QUANTITY12 quarts / case

5 gallon pail 55 gallon drum Bulk 12 quarts / case 12 quarts / case 5 gallon pail 5 gallon pail 5 gallon pail

Two Cycle

DESCRIPTION

Phillips Injex 2-Cycle TCW3 Phillips Injex 2-Cycle TCW3 Phillips Injex 2-Cycle TCW3

QUANTITY

24 pints / case 12 quarts / case 6 gallons / case



AVIATION

DESCRIPTION

Phillips Aviation Ty A 100 AD Phillips Aviation Ty M 20w50 Phillips X/C Aviation 20w50 Phillips X/C Aviation 25w60 Phillips 5606H Aviation Hyd

QUANTITY

12 quarts / case 12 quarts / case 12 quarts / case 12 quarts / case 24 quarts / case



Hydraulic & Gear Oils

DESCRIPTION

Phillips Magnus A 32
Phillips Magnus A 68
Phillips SMP 80w90
Phillips SMP 80w90
Phillips SMP 85w140
Phillips A-P Philgear 220 GO
Family Syn Transoil 50
Family Syn Transoil 50
Phillips Philube HG Fluid
Conoco Syncon HP Syn 75w90
Conoco Syncon HP Syn 75w90
Conoco Syncon HP Syn 80w140
Conoco Syncon HP Trans 50
Phillips Philguard Syn GO 75w90
Family KoolKut Spectrum

QUANTITY

5 gallon pail 5 gallon pail 35 lb. pail 410 lb. drum 35 lb. pail 35 lb. pail 35 lb. pail 410 lb. drum 5 gallon pail 35lb. pail 120lb. keg 35lb. pail 120 lb.keg 410lb. drum

55 gallon drum







ENGINE OILS

DESCRIPTION

Chevron Supreme 5w20 Chevron Supreme 5w30 Chevron Supreme 10w30 Chevron Supreme 10w40 Chevron Supreme 20w50 Chevron Supreme 30w Chevron Supreme Syn 5w30 Chevron Supreme Syn 10w30 Chevron Delo 100-30w Chevron Delo 100-40w Chevron Delo 400 15w40 Chevron Delo 400-30w Chevron Delo 400-30w Chevron Delo 400-30w Chevron Delo 400-30w Chevron Delo 400-40w Chevron Marine Delo 194-40w Chevron 2-Cycle TCW III

QUANTITY

12 quarts / case 6-32 ounce / case 6-32 ounce / case 12 quarts / case 12 quarts / case 12 quarts / case 6-gallons / case 5 gallon pail 55 gallon drum Bulk 12 quarts / case 6-gallons / case 5 gallon pail 55 gallon drum 12 quarts / case 6-gallons / case 5 gallon pail 55 gallon drum Bulk 5 gallon pail 12 quarts / case





FLUIDS

DESCRIPTION

Chevron Dexron ATF MD-3
Chevron Mercon V
Chevron Mercon VI
Chevron ATF Type F
Chevron Drive Tran HD 10
Chevron Drive Tran HD 30
Chevron Drive Tran HD 50
Chevron Torque Fluid
Chevron Soluble Oil B
Chevron Techron
Chevron Techron

QUANTITY

12 quarts / case
5 gallon pail
5 gallon pail
5 gallon pail
5 gallon pail
6 gallon pail
6 gallon pail
6 case
6 case
6 case



Hydraulic Oils

DESCRIPTION

Chevron AW 32 Hydraulic Chevron AW 32 Hydraulic Chevron AW 32 Hydraulic Chevron AW 46 Hydraulic Chevron AW 46 Hydrailic Chevron AW 46 Hydraulic Chevron AW 68 Hydraulic Chevron AW 68 Hydraulic Chevron AW 68 Hydraulic Chevron THF 1000 Chevron GST Oil 32

QUANTITY

5 gallon pail
55 gallon drum
Bulk
5 gallon pail
55 gallon drum
Bulk
5 gallon pail
55 gallon pail
55 gallon drum
Bulk



GREASE

DESCRIPTION

Chevron Delo Grease EP #2
Chevron Delo Grease EP #2
Chevron Duralith Grease EP #2
Chevron Duralith Grease EP #2
Chevron Moly Grease #2
Chevron Moly Grease #2
Chevron Ultra-Duty Grease #2
Chevron Open Gear Spray

QUANTITY

10-14 ounce / case 40-14 ounce / case 40-14 ounce / case 35 lb. pail 40-14 ounce / case 120 lb. keg 10-14 ounce / case 40-14 ounce / case 35 lb. pail 120 lb. keg 12-13 ounce / case

GEAR OILS

DESCRIPTION

Chevron RPM G/L 80w90 Chevron RPM G/L 85w140 Chevron RPM G/L 85w140 Chevron Syn G/L 75w90

QUANTITY

5 gallon pail

55 gallon drum

35 lb pail 35 lb pail 120 lb keg 35 lb pail

ANTI-FREEZE

DESCRIPTION

Chevron Supreme
Chevron Supreme
Chevron Supreme Dex-Cool
Chevron Delo ELC 50/50
Chevron Delo ELC 50/50

QUANTITY

6-gallon / case 55 gallon drum 6-gallon / case 6-gallon / case 55 gallon drum





FLUIDS

DESCRIPTION

Castrol Muti-Vehicle ATF Castrol Syntec 75w90 Castrol LMA Brake Fluid Castrol LMA Brake Fluid

QUANTITY

12 quarts / case 6-32 ounce / case 12-12 ounce / case 12 quarts / case



ENGINE OILS

DESCRIPTION

Castrol GTX 5w20 Castrol GTX 5w30 Castrol GTX 5w30 Castrol GTX 10w30 Castrol GTX 10w30 Castrol GTX 10w40 Castrol GTX 20w50 Castrol GTX 20w50 Castrol HD 30 Castrol Syn-Blend 10w30 Castrol Syn-Blend 20w50 Castrol Syntec 5w20 Castrol Syntec 5w30 Castrol Syntec 5w40 Castrol Syntec 5w50 Castrol High Mile 5w30 Castrol High Mile 10w30 Castrol High Mile 10w40 Castrol High Mile 20w50

QUANTITY

12 quarts / case 12 quarts / case 55 gallon drum 12 quarts / case 55 gallon drum 12 quarts / case 12 quarts / case 55 gallon drum 12 quarts / case 6-32 ounce / case





ROYAL PURPLE PRODUCTS

DESCRIPTION

Castrol Super Outboard 50:1 MP

Royal Purple MG M/O 5w20
Royal Purple MG M/O 5w30
Royal Purple MG M/O 10w30
Royal Purple MG M/O 10w40
Royal Purple MG M/O 15w40
Royal Purple MG M/O 15w40
Royal Purple MG M/O 20w50
Royal Purple HD 30w
Royal Purple HD 30w
Royal Purple Max Cycle 20w50
Royal Purple Max Gear 75w140
Royal Purple Max Gear 75w90
Royal Purple Max Gear 85w140
Royal Purple Synchromax
Royal Purple 2 Cycle TCWIII

QUANTITY12 quarts / case

12 quarts / case

12 quarts / case

12 quarts / case 4 gallon / case 12 quarts / case











Shell

ENGINE OILS DESCRIPTION

DESCRIPTION		QUANTITY
Valvoline AC 5w20	174	12 quarts / case
Valvoline AC 5w30	177	12 quarts / case
Valvoline AC 10w30	129	12 quarts / case
Valvoline AC 10w40	141	12 quarts / case
Valvoline AC 20w50	135	12 quarts / case
Valvoline Super HD 30	159	12 quarts / case
Valvoline Racing 20w50	211	12 quarts / case
Valvoline Racing 50w	235	12 quarts / case
Valvoline Dexron III/Mercon	353	12 quarts / case
Valvoline MaxLife 10w30	149	12 quarts / case
Valvoline MaxLife 10w40	150	12 quarts / case
Valvoline MaxLife 20w50	161	12 quarts / case
Valvoline MaxLife 5w30	155	12 quarts / case

SHELL PRODUCTS

DESCRIPTION		
Shell Formula 5w20		
Shell Formula 5w30		
Shell Formula 10w30		
Shell Formula 10w40		
Shell Formula 20w50		
Shell Formula HD 30		
Shell Rotella T 15w40		
Shell Caprinus XR 40		
Shell Rotella T 10		
Shell Rotella T 30		
Shell Rotella T 40		
Shell Rotella T 5w40 Synthetic		
Shell Spirax GSX 50		
Shell Spirax GSX 50		
Shell Dextron Mercon III		
Shell Multi-Vehicle ATF		
Shell Donax TC 30		
Shell Tellus T 225 gallon pail		
Shell Tellus T 2255 gallon drum		
Shell Tellus T 325 gallon pail		
Shell Omala 220		
Shell Aeroshell 100/Blue		
Shell Aeroshell W-100 (red)		
Shell Aeroshell Plus 100-W		
Shell Aeroshell 15w50		
Shell Aeroshell Fluid 41		
Shell Aeroshell Fluid 41		
Shell Spirax 80w90		
Shell Spirax 80w90		
Shell Spirax 80w90		
Shell Spirax 85w140		
Shell Spirax 85w140		
Shell Spirax 85w140		

Shell Spirax Syn 75w90

Shell Spirax Syn 75w90

Shell Spirax Syn80w140

Shell Spirax Syn 80w140

Shell Alvania Grease #2

Shell Retinax 5th Wheel Grease

QUANTITY




PENNZOIL

DESCRIPTION

Pennzoil 5w20
Pennzoil 5w30
Pennzoil 10w30
Pennzoil 10w40
Pennzoil 20w50
Pennzoil HD 30w

QUANTITY

12 quarts / case
12 quarts / case











DESCRIPTION

Havoline 5w20 Havoline 5w30 Havoline 10w30 Havoline 10w40 Havoline 20w50 Havoline 30w Havoline 40w Havoline ATF MD-3

QUANTITY

12 quarts / case 12 quarts / case



Motorcra

DESCRIPTION

Motorctaft Syn-Blend 5w20 Motorctaft Syn-Blend 5w20 Motorcraft Syn-Blend 5w30 Motorctaft Syn-Blend 5w30 Motorcraft Syn-Blend 10w30 Motorcraft 10w30 Motorcraft 10w40 Motorcraft 15w40 Motorcraft 15w40 Motorcraft Mercon V Motorcraft Mercon V Motorcraft Mercon V Motorcraft XT60SP Mercon

QUANTITY

12 quarts / case 55 gallon drum 12 quarts / case 55 gallon drum 12 quarts / case 12 quarts / case 12 quarts / case 12 quarts / case 4-5 quarts / case 12 quarts / case 4-5 quarts / case 6 gallon / case 12 quarts / case



Mobil 11

DESCRIPTION

Mobil1 0w30 Mobil1 0w40 Mobil 15w20 Mobil 15w30 Mobil1 10w30

Mobil1 Extended performance 15w50

Mobil Delvac 1300 15w40 Mobil Delvac 1300 15w40 Mobil Delvac 1300 15w40 Mobil 1 Delvac 1640 40w

QUANTITY

6-32 ounce / case 4 gallons / case 5 gallons pail 55 gallon drum 5 gallons pail



DESCRIPTION

Kendall GT 1 Turbo 20w50 Kendall GT 1 Turbo 40w Kendall GT 1 Turbo 50w Kendal ND 10 Kendal ND 20 Kendal ND 30

QUANTITY 12 quarts / case

12 quarts / case 12 quarts / case 12 quarts / case 12 quarts / case 12 quarts / case







ANTIFREEZE

DESCRIPTION

Major Brand Antifreeze
Pride Antifreeze
Major Brand ELC Dex-Cool
Major Brand ELC Dex-Cool
Major Gold/BK Full Strength
Pride ELC 50/50 Fleet
Chevron Supreme Antifreeze
Chevron Supreme Antifreeze
Chevron Dex-Cool Antifreeze
Chevron Delo ELC 50/50
Chevron Delo ELC 50/50

QUANTITY

6 gallons / case 55 gallon drum 6 gallons / case 6 gallons / case 55 gallon drum













FREON

DESCRIPTION

Refrigerant R-134A
Refrigerant R-134A
Freeze 12
Freese 12
Freeze 12 Oil Charge
Ester Oil Charge
Castrol EZ Fill Rechill
Castrol EZ Power Boost
Castrol EZ Leak Stop
Castrol 6423 Display

QUANTITY
12-12 ounce / case
30 pound cyl.
12-12 ounce / case
30 pound cyl.
12-4 ounce / case
12-4 ounce / case
6-6 ounce / case
6-4 ounce / case
6-4 ounce / case
Each







QUANTITY

DESCRIPTION	
LUCAS 15w40 M/O	10076
LUCAS Fuel Treatment	10013
LUCAS Fuel Treatment	10013
LUCAS Fuel Treatment	10003
LUCAS Fuel Treatment	10020
LUCAS Hub Oil	10088
LUCAS Hyd Oil Booster	10018
LUCAS Oil Stabilizer	10002
LUCAS Oil Stabilizer	10001
LUCAS P/S Stop Leak	10011
LUCAS P/S Stop Leak	10008
LUCAS Transmission Fix	10009
LUCAS Syn H/D Oil Stabilizer	10130
LUCAS Syn H/D Oil Stabilizer	10130
LUCAS Gun Oil	10006

LUCAS OIL PRODUCTS

4 gallons / case Gallon 4 gallons / case 12 quarts / case 24-5.2 / case 12 quarts / case 4 gallons / case 4 gallons / case 12 quarts / case 12 quarts / case 12-12 oz. / case 12-24 oz. / case Quart 12 quarts. / case 18-2 oz. / case











DESCRIPTION

STP Gas Treatment 78346 STP Gas Treatment 78340 STP Con. Fuel Injector Cleanr 00506 STP Fuel Injector/Carb. 00515 STP Fuel Injector/Carb. 65347 STP Oil Treatment 66079 STP Son of a Gun 12/10 65254 STP Diesel Fuel Treatment 78380

QUANTITY

12-8 ounce / case 12-12 ounce / case 12-12 ounce / case 12-12 ounce / case 12-8 ounce / case 12-15 ounce / case 12-10 ounce / case 6-20 ounce case











SUPER-X

DESCRIPTION

SupX 115 Spray Carb. Cleaner

SupX 141 Rust Inhibitor

SupX 210 Liquid Carb Cleaner.

SupX 214 Prof. Spray Carb Clnr

SupX 316 Smoke No More Oil Treatment

SupX 320 Diesel Cond.

SupX 325 Diesel Cond.

SupX 340 Octane Treat

SupX 351 Silicone Spray

SupX 370 Fuel Injector Cleaner.

SupX 380 Gas Treatment

SupX 382 Total Sys Seal & Cond

SupX 416 Windshield Wash Antifreeze

SupX 450 WindShield De-Icer Spray

SupX 460 Gas Line Antifreeze

SupX 530 Motor Flush

SupX 610 Belt Dressing Spray

SupX 620 Engine Clnr./Deg.

SupX 645 Spray Undercoat

SupX 650 Glass Cleaner Spray

SupX 650 Glass Cleaner Trigger

SupX 659 Tire Inflator

SupX 660 Tire Inflator w/hose

SupX 670 Penetrant

SupX 695 White Lithium Gr.

SupX 706 Chain Lube Spray.

SupX 711 Battery Protector Spray

SupX 712 Battery Cleaner Spray

SupX 830 N-C Brake Clnr.

SupX 930 Brake Clnr.

SupX 5301Johnsen Start Fluid

Penray 7001 Spray Red Grease

Penray 7003 Spray Open Gear Lube

Penray 7005 Spray Inner Slide Lube

Penray 7009 Dry Graphite Spray

QUANTITY

12-11 ounce / case

12-16 ounce / case

12-12 ounce / case

12-11 ounce / case

12-12 ounce / case 12-12 ounce / case

12-30 ounce / case

12-12 ounce / case

12-11 ounce / case 12-12 ounce / case

12-12 ounce / case

12-12 ounce / case

24-16 ounce / case

12-16 ounce / case

24-12 ounce / case

12-30 ounce / case

12-6 ounce / case 12-16 ounce / case

12-16 ounce / case

12-18 ounce / case

8-22 ounce / case

12-12 ounce / case

12-12 ounce / case

12-9 ounce / case

12-11 ounce / case

12-10 ounce / case

12-11.5 ounce /case

12-15 ounce /case

12-14 ounce /case

12-19 ounce /case

12-11 ounce / case 12-11 ounce / case

12-11 ounce / case

iz-11 durice / case

12-11 ounce / case

12-11 ounce /case









DESCRIPTION

Armor All 10 Ounces Armor All 4 Ounces

QUANTITY11010 12-10 ounce / ca

10040

12-10 ounce / case 24-4 ounce / case







DESCRIPTION

WD-40 10010 WD-40 10011 WD-40 10008 WD-40 10010

QUANTITY

Gallon 12-11 ounce / case 12-8 ounce / case 4-gallon / case





BLASTER

DESCRIPTIONBlackster Penetrant PB16

QUANTITY 12-12 ounce / case







BAR'S LEAKS

DESCRIPTION

Bar's Stop Leak R-6
Bar's Splatt Bug Remover
Bar's Powder 1175 Stop Leak
Bar's Leak Rear Main Seal Repair
Bar's Leak Liquid Alum. Stop Leak
Bar's Stop Leak C-16
Bar's Leak Engine Oil Stop Leak
Bar's H-60 Hyd Oil Stop
Bar's Leak Trans.Stop Leak

QUANTITY

12-5.5 ounce / case 6-32 ounce / case 75-12 ounce / case 4-32 ounce / case 6-8.5 ounce / case 12-10 ounce / case 6-16.5 ounce / case Single 6-32 ounce / case

6-16.6 ounce / case



Quic Shine

DESCRIPTION

Quic Shine

QUANTITY

12-12 ounce / case





J-B WELD

DESCRIPTION		QUANTITY
J-B Weld Single Card	8265-S	Each
J-B Weld	8265-S	6 pack
J-B Kwik Single Card	8276	Each
J-B Kwik	8276	6 pack
	I	







BRAKE FLUID

DESCRIPTION

Castrol LMA Brake Fluid DOT 4
Castrol LMA Brake Fluid DOT 4
Pride Brake Fluid DOT 3
Johnsen DOT 56-12 ounce case

QUANTITY

12-12 ounce / case 12 quarts / case Gallon 12-12 ounce / case 12 quarts / case 4-gallon / case 5 gallon pail



POWER STEERING FLUID

DESCRIPTION

Pride 9250 Power Steering Pride 8990 Power Steering Fluid

QUANTITY

12 quarts / case 12-12 ounce / case



WINDSHIELD WASH

DESCRIPTION

9612 Wind/Wash Summer 9912 Wind/Wash Winter Super X 416 WindShieldWash Antifreeze

QUANTITY

6-gallon / case 6-gallon / case 24-16 ounce /case







POWER SERVICE

DESCRIPTION		Γ
Diesel 911	8025-12	l
Diesel 911	8041	l
Diesel 911	8041-04	l
Bio Kleen Diesel Fuel Biocide	9041	l
Bio Kleen Diesel Fuel Biocide	9041-04	l
Bio Kleen Diesel Fuel Biocide	9016	l
Bio Kleen Diesel Fuel Biocide	9016-06	l
Diesel Fuel Supplement	1025-12	l
Diesel Fuel Supplement	1041	l
Diesel Fuel Supplement	1041-04	l
Diesel Fuel Supplement	1016-06	l
Diesel Kleen	3041	l
Diesel Kleen	3041-04	l
Diesel Kleen	3025-12	
Diesel Kleen	9255-06	

QUANTITY

12-32 ounce / case
 1-96 ounce
4-96 ounce / case
 1-96 ounce
4-96 ounce / case
 1-16 ounce
6-16 ounce / case
12-32 ounce / case
1-96 ounce
4-96 ounce / case
6-16 ounce / case
1-96 ounce
4-96 ounce / case
12-32 ounce / case
12-32 ounce / case






Mystik

DESCRIPTION

Mystic Jt-6 Hi-Temp Gr Red Mystic Jt-6 M/P Green Mystic Jt-6 M/P Green

QUANTITY

10-14 ounce / case 50-14 ounce / case 12-1 pound tubs 35 lb pail 120 lb keg 10-14 ounce / case



DESCRIPTION

Pride Purple Hi Temp Grease EP #2 Pride Red Lithium Grease EP #2 Pride Blue Multi-Purpose Grease EP #2 Chevron Delo Grease EP #2 Chevron Delo Grease EP #2 Chevron Delo Grease EP #2 Chevron Duralith Grease EP #2 Chevron Duralith Grease EP #2 Chevron Duralith Grease EP #2 Chevron Moly Grease #2 Chevron Moly Grease #2 Chevron Ultra Duty Grease #2 Chevron Ultra-Duty Grease #2 Chevron Ultra-Duty Grease #2 Chevron Ultra-Duty Grease #2 Chevron Ultra-Duty Grease #2 Super-X695 White Lithium Grease Penray 7001 Spray Red Grease Penray 7003 Spray Open Gear Lube Penray 7005 Spray Inner Slide Lube

QUANTITY

GREASE

10-14 oz tubes / case 50-14 oz tubes / case 35 lb pail 120 lb keg 400 lb drum 10-14 oz tubes / case 50-14 oz tubes / case 35 lb pail 120 lb keg 400 lb drum 10-14 oz tubes / case 50-14 oz tubes / case 35 lb pail 120 lb keg 10-14 oz tubes / case 40-14 oz tubes / case 120 lb keg 40-14 oz tubes / case

35 lb pail 120 lb keg 40-14 oz tubes / case

120 lb keg 10-14 oz tubes / case

40-14 oz tubes / case 35 lb pail 120 lb keg

400 lb drum 12-11 ounce / case 12-11 ounce / case

12-11 ounce / case 12-11 ounce / case







OUTBOARD

DESCRIPTION

Castrol 2 Stroke 50:1 MP Chevron 2-Cycle TCW III Mercury TCW III Mercury TCW III Phillips Injex 2 Cycle TCW3 Phillips Injex 2 Cycle TCW3 Phillips Injex 2 Cycle TCW3 Royal Purple 2 Cycle TCW III

OUANTITY

12 quarts / case 12 quarts / case 3-1 gallons / case 24-16 ounce / case 24-16 ounce / case 12 quarts / case 6-1 gallon case 12 quarts / case





STAY MIX

DESCRIPTION

Stay Mix 16:1 2-Cycle Stay Mix 32:1 2-Cycle Stay Mix 50:1 2-Cycle Stay Mix 50:1 2-Cycle

QUANTITY

48-8 ounce / case 48-8 ounce / case 24-2.6 ounce / case 24-6.4 ounce / case



OUTBOARD GEAR LUBE

6030

6230

DESCRIPTION

Pride GL-5 80w85w90 Pride GL-5 85w140

QUANTITY

12 quarts / case 12 quarts / case





5 GALLON PAILS

DESCRIPTION	QUANTITY
Pail Blue	each
Pail Lid Blue	each
Pail Red	each
Pail Lid Red	each
Pail White	each
Pail Lid White	each
Pail Yellow	each
Pail Lid Yellow	each



DRUMS

DESCRIPTION	QUANTITY
New Drum	each



OIL DRy

DESCRIPTION

Opti-Sorb Safe-T Sorb Thrifty-Sorb

QUANTITY

25 lb bag 40 lb bag 40 lb bag



OIL DRY PADS

DESCRIPTION

Oil Dry Pads

QUANTITY

Bundle of 100



LUBRICATION EQUIPMENT - ZEELINE

DESCRIPTION		QUANTITY
Zeeline Bung Faucet	81	EACH
Zeeline Drum Cradle w/axles	135	EACH
Zeeline Drum Dolly	140-S	EACH
Zeeline Whip Hose	12-R	EACH
Zeeline Gear Oil Pump	321	EACH
Zeeline Grease Gun Lever	419	EACH
Zeeline Grease Gun Pistol	615	EACH
Zeeline 5 Qt Flow Control	745	EACH
Zeeline Heavy Duty Grease Gun	HD4A	EACH
Zeeline Bearing Packer	333	EACH
Zeeline Battery Op Gr/Gun	912-18	EACH
Zeeline Rotary Hand Pump	960	EACH
Zeeline Rotary Pump w/rub Hos	e 961	EACH
Zeeline Hand Pump	DS-1	EACH
Zeeline Gear Pump w/hose	1209RAR	EACH











Purple Power

DESCRIPTION

Purple Power Tire Cleaner Spray Purple Power Degreaser Spray Purple Power Degreaser Purple Power Degreaser

Purple Power Wheel Cleaner Spray

QUANTITY

12-32 ounce / case 12-32 ounce / case 1 gallon 6 gallon / case 2-2.5 gallon / case 5 gallon pail 30 gallon drum 55 gallon drum 12-32 ounce / case







DESCRIPTION GOJO Natural Orange w/pump 0945 GOJO Natural Orange w/pump 0945 0947 GOJO Orange/Grip Bot w/Na GOJO Orange Pumice w/pump 0955 0955 GOJO Orange Pumice w/pump GOJO Orange/Pumice Grip Bottle 0957 GOJO Orange Pumice Crème 0975 0975 GOJO Original Pumice Crème GOJO 2 LiterPump Bot w/G 0988 GOJO Original Crème 1109 GOJO Original Crème 1111 GOJO Original Crème 1111 GOJO Original Crème 1115 GOJO Original Crème 1115 GOJO Fine Italian Pumice Crème 1132 GOJO Fine Italian Pumice Crème 1135 GOJO Fine Italian Pumice Crème 1135 **GOJO** Dispenser 1204

GOJO GLOVES

GOJO 1431 Tech. Glove-Medium GOJO 1432 Tech. Glove-Large GOJO 1433 Tech. Glove-Xlarge

QUANTITY

4 gallon / case 1 gallon 6-14 ounce / case 1 gallon 2-gallon / case 8-14 ounce / case 1-4.5 lb tub 6-4.5 lb tubs 2-2 Liter case 12-18 ounce tubs 6-4.5 lb tubs 1-4.5 lb tub 6-4.5 lb tubs 1-4.5 lb tub 12-16 ounce tubs 1- lb tub 6-4 lb tubs Each

12 pair case 12 pair case 12 pair case





GAS AND DIESEL PLASTIC CANS By BLITZ

DESCRIPTION		QUANTITY
One Gallon Gas Can	#50805	each
One Gallon Gas Can	#50805	case of 8
Two Gallon Gas Can	#50810	each
Two Gallon Gas Can	#50810	case of 6
Five Gallon Gas Can	#50833	each
Five Gallon Gas Can	#50833	case of 4
Five Gallon Diesel Can	#50854	each
Five Gallon Diesel Can	#50854	case of 4



TAPE

DESCRIPTION

Silver Duct Tape Silver Duct Tape **Electrical Tape** Masking Tape

QUANTITY

Each Case of 24 10 per Sleeve Case of 48





SCOTT TOWELS & RAGS

DESCRIPTION

Scott Rags in a box Scott Shop Towel

QUANTITY

350 per Box Case of 12

CHARCOAL LIGHTER FLUID

DESCRIPTION

QUANTITY Charcoal Lighter Fluid 12 quart / case







